

Natural Environment Research Council

Institute of Geological Sciences

Mineral Reconnaissance Programme Report

5

This report relates to work carried out by the Institute of Geological Sciences on behalf of the Department of Industry. The information contained herein must not be published without reference to the Director, Institute of Geological Sciences

D. Ostle
Programme Manager
Institute of Geological Sciences
Keyworth,
Nottingham NG12 5GG

No. 37

**Compilation of stratabound
mineralisation in the Scottish
Caledonides**

INSTITUTE OF GEOLOGICAL SCIENCES

Natural Environment Research Council

Mineral Reconnaissance Programme

Report No. 37

Compilation of stratabound mineralisation in the Scottish Caledonides

G. S. Johnstone, BSc, MIMM, FRSE

M. J. Gallagher, PhD, MIMM

Mineral Reconnaissance Programme Reports

- 1 The concealed granite roof in south-west Cornwall
- 2 Geochemical and geophysical investigations around Garras Mine, near Truro, Cornwall
- 3 Molybdenite mineralisation in Precambrian rocks near Lairg, Scotland
- 4 Investigation of copper mineralisation at Vidlin, Shetland
- 5 Preliminary mineral reconnaissance of Central Wales
- 6 Report on geophysical surveys at Struy, Inverness-shire
- 7 Investigation of tungsten and other mineralisation associated with the Skiddaw Granite near Carrock Mine, Cumbria
- 8 Investigation of stratiform sulphide mineralisation in parts of central Perthshire
- 9 Investigation of disseminated copper mineralisation near Kilmelford, Argyllshire, Scotland
- 10 Geophysical surveys around Talnotry mine, Kirkcudbrightshire, Scotland
- 11 A study of the space form of the Cornubian granite batholith and its application to detailed gravity surveys in Cornwall
- 12 Mineral investigations in the Teign Valley, Devon. Part 1—Barytes
- 13 Investigation of stratiform sulphide mineralisation at McPhun's Cairn, Argyllshire
- 14 Mineral investigations at Woodhall and Longlands in north Cumbria
- 15 Investigation of stratiform sulphide mineralisation at Meall Mor, South Knapdale, Argyll
- 16 Report on geophysical and geological surveys at Blackmount, Argyllshire
- 17 Lead, zinc and copper mineralisation in basal Carboniferous rocks at Westwater, south Scotland
- 18 A mineral reconnaissance survey of the Doon-Glenkens area, south-west Scotland
- 19 A reconnaissance geochemical drainage survey of the Criffel-Dalbeattie granodiorite complex and its environs
- 20 Geophysical field techniques for mineral exploration
- 21 A geochemical drainage survey of the Fleet granitic complex and its environs
- 22 Geochemical and geophysical investigations north-west of Llanrwst, North Wales
- 23 Disseminated sulphide mineralisation at Garbh Achadh, Argyllshire, Scotland
- 24 Geophysical investigations along parts of the Dent and Augill Faults
- 25 Mineral investigations near Bodmin, Cornwall. Part 1—Airborne and ground geophysical surveys
- 26 Stratabound barium-zinc mineralisation in Dalradian schist near Aberfeldy, Scotland: Preliminary report
- 27 Airborne geophysical survey of part of Anglesey, North Wales
- 28 A mineral reconnaissance survey of the Abington-Biggarr-Moffat area, south-central Scotland
- 29 Mineral exploration in the Harlech Dome, North Wales
- 30 Porphyry style copper mineralisation at Black Stockarton Moor, south-west Scotland
- 31 Geophysical investigations in the Closehouse-Lunedale area
- 32 Investigations at Polyphant, near Launceston, Cornwall
- 33 Mineral investigations at Carrock Fell, Cumbria. Part 1—Geophysical survey
- 34 Results of a gravity survey of the south-west margin of Dartmoor, Devon
- 35 Geophysical investigation of chromite-bearing ultrabasic rocks in the Baltasound-Hagdale area, Unst, Shetland Islands
- 36 An appraisal of the VLF ground resistivity technique as an aid to mineral exploration
- 37 Compilation of stratabound mineralisation in the Scottish Caledonides

The Institute of Geological Sciences was formed by the incorporation of the Geological Survey of Great Britain and the Geological Museum with Overseas Geological Surveys and is a constituent body of the Natural Environment Research Council

Bibliographical reference

Johnstone, G. S. and Gallagher, M. J. 1980. Compilation of stratabound mineralisation in the Scottish Caledonides. *Mineral Reconnaissance Programme Rep. Inst. Geol. Sci.*, No. 37

INTRODUCTION

This report is a compilation of information on stratabound mineralisation in the Caledonian terrain of Scotland.

The location of the deposits and their host-rock lithologies are shown on the accompanying 1:1 million scale map. The deposits are classified according to their chemical composition and estimated size by the use of symbols.

The mineral deposit tables include aspects of host-rock lithology, metamorphic grade of the deposit, size and shape of the deposit and chemical data.

A bibliography is also included of work published on the stratabound mineralisation of the Scottish Caledonides.

The work forms part of the United Kingdom contribution to the International Geological Correlation Programme Project 60, "Correlation of Caledonian Stratabound Sulphides". This contribution commenced in 1974 and is presently centred on a programme of mineral reconnaissance being undertaken by the Institute of Geological Sciences for the Department of Industry. Since 1977 the topic of stratabound mineralisation has been formally established as one of the six main projects of the programme.

Similar compilations have been prepared or are in the process of assembly for other segments of the fragmented Caledonian - Appalachian orogenic belt in the following countries: Norway, Sweden, East Greenland, Ireland, Canada and USA.

Copies of the report can be obtained by writing to M. J. Gallagher at

Institute of Geological Sciences
Murchison House
West Mains Road
EDINBURGH
EH9 3LA
United Kingdom

GEOLOGICAL BASE OF THE MINERAL DEPOSIT MAP

The base for the 1:1 million scale mineral deposit map included in this report is Sheet 1 of the 1:625,000 scale Geological Map of Great Britain (Institute of Geological Sciences, 1979). The Map Sheet numbers listed in the Mineral Deposit Table are the 1:63,360/1:50,000 scale geological maps of the Institute of Geological Sciences.

A revised version of this map will form part of a UK map to be produced at a later date.

It is also intended that the UK map should be amalgamated with the Ireland map.

MINERAL DEPOSIT TABLES

Most of the deposits listed in the tables (nos. 1-7) occur in the Dalradian rocks of the Scottish Highlands. None are present producers but deposits 1 and 5 have significant economic potential. In the case of the Aberfeldy deposit (no.5) the main potential is for stratabound baryte although it also represents a significant occurrence of stratabound zinc and lead. Reference to the literature indexed in the tables to the accompanying bibliography will illustrate that the deposits all occur in the Dalradian (late Proterozoic to Cambro-Ordovician) metamorphic rocks of the Scottish Highlands. Low-grade base metal mineralisation is developed in a pyrite-rich horizon of the Middle Dalradian (no.6) and higher grade deposits are found (nos. 2, 3 and 4) in associated metasedimentary rocks. The Vidlin deposit (no.1) occurs in older Dalradian host-rocks including amphibolite believed to represent basic igneous rocks. Deposit no.5 (Aberfeldy) is notable for the presence of banded baryte-rocks as well as stratabound sphalerite and galena. The mineralisation occurs over a 7 km section of the strike of a Middle Dalradian formation characterised by graphitic schist which is therefore regarded as a key lithology for future exploration (see map).

The Penkiln mineralisation (no.7) is developed in Ordovician black shales of the Southern Uplands but further work will be required to determine the role of igneous activity in the formation of the deposit.

Explanatory notes to the tables follow :

(1) Past or present producer

P: past producer

-: non-producer.

(2) References

Numbers refer to the
accompanying bibliography

(3) Mode of aggregation

M: massive

D: disseminated.

(4) Main Fe-sulphide (+ oxide)

Py: pyrite

Po: pyrrhotine

Mt: magnetite

Where not underlined the
sulphide occurs in
subordinate amounts

(5) Analytical base

d: mean of a restricted number
of samples

e: single or only a few
analyses (hand specimens).

Mineral Deposit Table: United Kingdom (Scotland)
(1:1 million map)

No.	Name of Deposit	Map Sheet	Tectonic unit or position	Age	General host-rock lithology	Metamorphic grade	Shape	Size	Past or present producer	References
1	Vidlin	128	Allochthon	Late Precambrian	Amphibolite	Amphibolite facies	Lenses	50,000-1m	-	11
2	McPhun's Cairn	37	Allochthon (Tay Nappe)	Late Precambrian to early Cambrian	Calcareous mica-schist	Greenschist facies	Lens	<50,000	-	22
3	Meall Mor	28-29	Allochthon (Tay Nappe)	Late Precambrian to early Cambrian	Quartzite	Greenschist facies	Lens	<50,000	P	23
4	Coille Bhraghad	37	Allochthon (Tay Nappe)	Late Precambrian to early Cambrian	Calcareous phyllite	Greenschist facies	Lens	<50,000	P	6, 26
5	Aberfeldy	55	Allochthon (Tay Nappe)	Late Precambrian to early Cambrian	Graphitic schist	Amphibolite facies	Banded lenses:	> 1m	-	3, 4, 8, 18, 24
6	Loch Tay	46-47	Allochthon (Tay Nappe)	Late Precambrian to early Cambrian	Calcareous mica-schist	Greenschist facies	Disseminations	<50,000	-	20, 21
7	Penkiln Burn	8	Allochthon	Caradocian	Silicified black shale	Lower Greenschist facies locally hornfelsed	Disseminations	<50,000	-	17

Mineral Deposit Table: United Kingdom (Scotland)
(1:1 million map)

No.	Name of Deposit	Mode of aggr. M/D	Main Fe-sulphide (+ oxide)	Grade in wt. %				in ppm		Other element of spec. int.	Cu:Zn:Pb prop.	Analytical base	Comments
				S	Cu	Zn	Pb	Au	Ag				
1	Vidlin	M/D	<u>Po</u>		0.72	0.55	0.03				56:42:2	d	
2	McPhun's Cairn	M	<u>Py Po</u>		0.04	7.5	2.1	0.75	6	0.07% As	0:78:22	e	
3	Meall Mor	D	<u>Py</u>		0.58	0.013	0.006		4		94:4:2	d	
4	Coille Bhraghad	D	<u>Po</u> Py							Ni			
5	Aberfeldy	D	<u>Py</u> Po Mt		0.008	1.19	0.44		c.4	Ba	0:73:27	d	Baryte-rock, quartz-celsian rock and barian muscovite schist common
6	Loch Tay	D	<u>Py</u>		0.012	0.021	0.002				[42:47:11]	d	
7	Penkiln	D	<u>Py</u> Po		0.03	0.06	0.15		c.4		14:33:53	d	

BIBLIOGRAPHY

- 1 BERRIDGE N.G. 1969. A summary of the mineral resources of the "crofter counties" of Scotland; Report of Institute of Geological Sciences, no. 69/5, 36 p.
- 2 BOWIE S.H.U., DAWSON J., GALLAGHER M.J. and OSTLE D. 1966. Potassium-rich sediments in the Cambrian of Northwest Scotland; Trans. Inst. Min. Metall., v. 75, p. B125-145.
- 3 COATS J.S., SMITH C.G. and others. 1978. Stratabound barium-zinc mineralisation in Dalradian schist near Aberfeldy: Preliminary Report; Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no.26, 43 p.
- 4 COATS J.S., SMITH C.G. and others. 1980. Stratabound barium-zinc mineralisation in Dalradian schist near Aberfeldy, Scotland. Trans. Inst. Min. Metall., (Sect. B : Appl.earth sci.), v. 89, p. B110-122.
- 5 DAWSON J. and others. 1977. A mineral reconnaissance survey of the Doon - Glenkens area, south-west Scotland; Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 18, 103 p.
- 6 DUNHAM SIR K. and others. 1979. United Kingdom; in Bowie S.H.U., Kvalheim A. and Haslam H.W. (eds.); Mineral deposits of Europe, v. 1 Northwest Europe; Institution of Mining and Metallurgy and Mineralogical Society of London, p. 263-317.
- 7 ELLIS R.A. and others. 1978. Disseminated sulphide mineralisation at Garbh Achadh, Argyllshire, Scotland; Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 23, 76 p.
- 8 GROUT A. and GALLAGHER M.J. 1980. Barium determination in rock and overburden by portable XRF spectrometer. Trans. Inst. Min. Metall. (Sect. B: Appl. earth Sci.), v. 89, p B130-133.
- 9 FERMOR SIR L.L. 1951. On a discovery of copper-ore in the Torridonian rocks of Sutherland; Geological Magazine, v. 88, p. 215-218.
- 10 GALLAGHER M.J., SMITH R.T., PEACOCK J.D. and HAYNES L. 1974. Molybdenite mineralisation in Precambrian rocks near Lairg, Scotland; Trans. Inst. Min. Metall. (Sect. B: Appl. earth Sci.), v. 83, p. B81-87. (Also Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 3, 76 p.).
- 11 GARSON M.S. and MAY F. 1976. Copper Mineralisation at Vidlin, Shetland; Trans. Inst. Min. Metall., v. 85, p. B153-157. (Also Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 4, 45 p.).
- 12 GREIG D.C. 1971. The South of Scotland; Institute of Geological Sciences, British Regional Geology, 125 p.
- 13 HARRIS A.L. and others. 1975. Precambrian; Special Report of the Geological Society, no. 6, 196 p.
- 14 INESON P.R. and MITCHELL J.G. 1974. K-Ar isotopic age determination from some Scottish mineral localities; Trans. Inst. Min. Metall., v. 83, p. B13-18.
- 15 JOHNSTONE G.S. 1966. The Grampian Highlands; Institute of Geological Sciences, British Regional Geology, 107, p.
- 16 LEAKE R.C. and others. 1978. A reconnaissance geochemical drainage survey of the Criffel-Dalbeattie granodiorite complex and its environs; Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 19, 67 p.
- 17 LEAKE R.C. and others. 1978. A geochemical drainage survey of the Fleet granitic complex and its environs; Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 21, 30 p.
- 18 PARKER M.E. 1980. VLF-electromagnetic mapping of strata-bound mineralisation near Aberfeldy, Scotland. Trans. Inst. Min. Metall. (Sect. B: Appl. earth Sci.), v. 89, p. B123-129.
- 19 SCOTT B. 1976. Zinc and lead mineralisation along the margins of the Caledonian Orogen; Trans. Inst. Min. Metall., v. 85, p. B200-204.
- 20 SMITH C.G. 1977. Investigation of stratiform sulphide mineralisation in parts of the Dalradian of Central Perthshire, Scotland; Trans. Inst. Min. Metall., v. 86, p. B50-51.
- 21 SMITH C.G. and others. 1977. Investigations of stratiform sulphide mineralisation in parts of central Perthshire; Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 8, 83 p.

- 22 SMITH C.G. and others. 1977. Investigation of stratiform sulphide mineralisation at McPhun's Cairn, Argyllshire; Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 13, 44 p.
- 23 SMITH C.G. and others. 1978. Investigation of stratiform sulphide mineralisation at Meall Mor, South Knapdale, Argyllshire; Mineral Reconnaissance Programme Report of Institute of Geological Sciences, no. 15, 88 p.
- 24 STURT B.A. 1961. The geological structure of the area south of Loch Tummel; Quarterly Journal of the Geological Society of London, v. 117, p. 131-156.
- 25 TANDY B.C., COATS J.S. and MICHIE U.McL. Geochemical drainage survey of central Argyllshire, Scotland; Mineral Reconnaissance Programme Report of Institute of Geological Sciences (in prep.).
- 26 WILSON G.F. and FLETT J.S. 1921. The lead, zinc, copper and nickel ores of Scotland; Special Report on the Mineral Resources of Great Britain, v. 17, 159 p.

COMPILATION OF STRATABOUND SULPHIDE DEPOSITS
IN
THE UNITED KINGDOM CALEDONIDES
U K IGCP/CCSS PROJECT Edinburgh, 1979

Similar maps at the scale of 1:1 million exist for the following countries,
contact persons are indicated

Sweden (M B Stephens, Geological Survey of Sweden, Uppsala)
Norway (A Bjørlykke, Geological Survey of Norway, Trondheim)
Greenland (M Stendal, University of Copenhagen, Copenhagen)
Ireland (Geological Survey of Ireland, Dublin)
Canada (D F Sangster, Geological Survey of Canada, Ottawa)
U S A (J Gair, US Geological Survey, Reston)

MINERALISATION
COMPOSITION, SIZE

	<50 000	50 000 -1m.t.
Cu-dominant >70% Cu	○	⊙
Cu-Zn < 15% Pb		⊙
< 70% Cu		⊙
< 70% Zn		⊙
Zn-dominant >70% Zn	□	⊠
Pb-Zn < 15% Cu		⊠
< 70% Pb		⊠
< 70% Zn		⊠
Fe-sulphides only (ΣCu + Pb + Zn < S/40)	◇	

IDENTIFICATION NUMBER

The number beside each deposit refers to its
position in the complementary mineral deposit tables

HOST ROCK

B = Basic (mafic) -dominated volcanite

Q = Quartzite

P = Graphitic schist, black shale

Deposits without a letter occur in

undifferentiated metasediment

(eg calcareous mica schist)

GEOLOGY

- Post-Caledonian rocks
- Devonian sediments and lavas
- Caledonian acid intrusive rocks
- Caledonian intrusives shown in outline
G ... Granites, etc. B ... Gabbros, etc.
- Caledonian 'epidiorites and ophiolites'
- Cambro-Ordovician carbonate-arenite
on Pre-Caledonian Basement
- Ordovician-Silurian greywacke-shale facies
within Caledonides
- Dalradian
- Moine
- Pre-Caledonian Basement
- Moine Thrust
- Fault
- Pyrite horizon

KEY LITHOLOGY

★ Graphitic schist

0 100km
Scale 1:1 000 000

